



## **GRUVMASTER COMBO ROLL GROOVERS**

# GRUVMASTER G-1X THE TOUGHEST COMBO ROLL GROOVER 1" to 12"

The only TRUE Portable Schedule 40 Groover for up to 8" pipe.

#### STRONG ENOUGH TO GROOVE SCHEDULE 40 ALL DAY LONG!

- •Easily swap out shafts in 30 seconds
- •Chucks into Ridgid® 300 for Power Grooving or Manually Roll Groove in the air or with a pipe vise.
- •Capacity: 1" to 12" pipe (max wall thickness 8 mm)
- •1" to 8" schedule 10/40 pipe
- •8" to 12" schedule 10 pipe
- •Heavy Duty Ductile Iron Construction
- •Weight: 47 lbs.

#### Includes:

Two Groove Rollers: 1" to 6" and 8" to 12" Four Drive Shafts: 1" and 1-1/4" to 1-1/2" and 2" to 6" and 8" to 12"

2 support arms Ratchet Drive Shaft Extension Sturdy Carrying Case







#### **Drive Shaft Extension**

- •1" Diameter x 8" Long Drive Shaft Extension disperses stress on the roll groover
- •Chucks into power drive leaving room for die head & carriage assembly to stay in place



## GRUVMASTER G-1X HEAVY DUTY COMBO ROLL GROOVER

Capacity 1" to 12"

ARGC0 Item # 3309130



BUY \$15,000 OF GROOVED COUPLINGS, FITTINGS, MECH TEES, FLANGE ADAPTERS (MIX & MATCH)

#### **GET A FREE GRUVMASTER**

You'll never consider or Pace® or Ridgid® 975 again!

ARGCO.com • 800.854.1015

RIDGID® is a registered trademark of RIDGID®, Inc



# **GRUVMASTER COMBO ROLL GROOVERS**

GRUVMASTER G-2X LIGHTWEIGHT COMBINATION ROLL GROOVER

The only Combo Roll Groovers that can groove 1" to 12" pipe Light enough to Groove In-the-Air

- •The most durable lightweight groover on the market
- •Easily swap out shafts in 30 seconds
- •Chucks into Ridgid® 300 for Power Grooving or Manually Roll Groove in the air or with a pipe vise.
- •1" 6" schedule 10 and 40 pipe
- •Use 2"-6" optional shaft for better performance on schedule 40 pipe
- •Operate at slower speeds when grooving sch 40 pipe
- •8" 12" roller and shaft for schedule 10 pipe
- •Weight: 27 lbs.

#### Includes:

- •Two Groove Rollers: 1" to 6" and 8" to 12"
- •Three Drive Shafts: 1" and 1-1/4" to 6" and 8"-12"
- •Drive Shaft Extension (3309121)
- •2 support arms
- •Ratchet Wrench with Swivel Handle
- •Sturdy Carrying Case: Hold all extra parts & protects your equipment







Sturdy Carrying Case: Hold all extra parts & protects your equipment



Capacity 1" to 12"

ARGC0 Item # 3309120





RIDGID® is a registered trademark of RIDGID®, Inc.

BUY \$15,000 OF GROOVED COUPLINGS, FITTINGS, MECH TEES, FLANGE ADAPTERS (MIX & MATCH)


#### **GET A FREE GRUVMASTER**

You'll never consider or Pace or Ridgid 975 again!





# PIPE THREADING EQUIPMENT



All parts interchangeable with RIDGID®. Complete with: stand, Carriage Assembly (carriage lever, reamer, cutter). One set 1/2" x 3/4" & One set 1-2" ARGCO Universal dies. Oiler and one gallon of Tuf Cut threading oil. \*Also includes Transporter

Threading Capacity: Pipe 1/8 through 2. Bolt 1/4 through 2. Speed Grip Chuck with Replaceable Jaw Inserts. Full line of replacement parts available for RIDGID® or PT Threaders.

#### THREADING MACHINE COMPLETE

38 rpm (57 rpm available) ARGCO Item # 3301006

#### **POWER DRIVE with FOOTSWITCH**

38 rpm (57 rpm available) ARGCO Item # 3301000PD





#### **POWER DRIVE ONLY**

with foot switch # 301000PD



#### TRIC TRAY

# 3304401



#### O'DAY OILER & EQUPMENT TRAY

Sits directly below carriage to catch oil without splatter Brings the oiler up 18" closer to the oiler gun Fits all types of Tri-Pods #3304402

#### **SPLATTER GUARD**

Keep threading oil & chips in the oiler and off the walls and floor. # 3304400



RIDGID® is a registered trademark of RIDGID®, Inc.



#### **REPLACEMENT PARTS**

#### THE POWER OF CHOICE!

ARGCO Brand at least 50% off Ridgid® list and the Quality is Every Bit as Good or Your Money Back.



Universal Diehead (3302400)



**HSS Universal Dies** Stainless Steel Dies

> 1/2" & 3/4" (<u>47765</u>) 1-2" (<u>47770</u>)



Diehead Repair Kit (3302400kit)



**360 Cutter (1/8" - 2")** (42370) <u>3302300</u>



Cutter Wheel HD (33105) 3302306



Cutter Wheel Std. (44185) <u>3302306A</u>





Carriage Collar Assy (46215) 3302107



**Reamer** (42365) <u>3302200</u>



Oiler Unit Complete (10883) <u>3303200</u>



Oil Gun with Hose (72327) 3303201



Power Drive Repair Kit 3301001



**300 Motor** 87740) <u>3301000-motor</u>



Motor Armature (44010) <u>3304225</u>



Motor Brush Set (44540) 3304222



**Switch** (FOR/OFF/REV) (44505) 3303311



Foot Switch Hardwired (36642) 3303314



Power Cord with plug (46740) <u>3303305</u>



Jaw Insert Set (44715) 3304127



Rear Centering Assy. (44165) 3304108



**Support Arm** (44425) <u>3304134</u>



Retaining Ring (44725) 3304133



Main Drive Gear (45370) <u>3304223</u>



**Transporter** (42575) <u>3304403</u>

 $\ensuremath{\mathsf{RIDGID}} \ensuremath{\mathbb{B}}$  is a registered trademark of  $\ensuremath{\mathsf{RIDGID}} \ensuremath{\mathbb{B}},$  Inc.




# **OUTSTANDING JAWS**

# Turn 2-1/2" to 6" PIPE with your RIDGID® 300 Machine ALLOWING THE EASIEST & FASTEST ROLL CUTTING OF LARGE DIAMETER PIPE





- •Expand outstanding jaws until they evenly grip the inside wall of the pipe.
- •The internal jaws fit inside the pipe...
- •Turn on the power drive, Make roll cutting easy!



- •Each set will grip 2-1/2" to 6" pipe
- •Fits over existing chuck jaw & easily clips into place



•Comes with a convenient case that clips onto the 1206 stand.





#### **OUTSTANDING JAWS**

Turn & cut 2-1/2" to 6" PIPE with your RIDGID® 300 Machine (Item Number: 3304405)

RIDGID® is a trademark of RIDGID, Inc.



# hole Drilling Tool

# LIGHTER, FASTER, EASIER than previous models



**PATENTED\*** "OUICK CHANGE" **HOLE GUIDES** 

No Tools Needed



\*US Patent No. D947,639

•Cut up to 2" holes in up to 4" diameter pipe.

•Weight: 14 lbs.

The Holemaster comes complete with: **Holemaster Clamp and Guide Head** Six interchangeable Hole Saw Guides **Two Arbors Carrying Case** 

**HOLEMASTER** HOLE CUTTING TOOL

> **ARGCO** Item #3099098









**BUY \$5,000 OF ARGCO MECHANICAL TEES** (MIX & MATCH)

**GET A FREE HOLEMASTER** 



## **SPRINKLER LASER CENTERING LEVEL**

- •Increase speed, accuracy and productivity
- Perfect for any sprinkler fitter
  - •24" Level is Durable and Easy to use
  - •Laser is powered by two AAA batteries)

 Recessed built-in Laser Attachment & 4 leveling vials  No need to use a clumsy plumb bob or heavy unistrut to get your center of tile measurement

•Projects vertical laser dot over 40 ft.

Simply measure sprinkler drop to projected laser, and subtract your takeout



GRID MARKSMAN Laser Level Sprinkler Centering Tool (Item Number: 3099104A) BUY 100 FLEXIBLE SPRINKLER DROPS **GET A** 

FREE LASER LEVEL

# **SPOTTER LEVEL. MAGNETIC SPOT RITE LEVEL**

•7" long and made from billet 6061 aluminum



- •Large viewing ports with neon green vials for easier visibility in low light.
- •Four powerful N35 rare earth magnets inserted along the flat edge.

The Spotter level has both 1" male NPT and 1/2" female NPT. It can also act as an emergency plug.

SPOTTER LEVEL

1" Male NPT and 1/2" Female NPT
(Item Number: 3099105)





Accessories: Laser Level Attachment CPVC Adapter



# **HYDRA-TAP FDC CHECK VALVE CLAPPER FLUSH TOOL**



Flipping an FDC check-valve to conduct a Forward Flow or FDC Backflush is the worst part of any inspector or sprinkler fitters day. With The Hydra-Tap™ holding the clapper open and allowing for reverse flow, they'll never have to do it again.

- Drain Check Valve
- •Insert Set Rod
- •Set Rod into place
- •Thread Tap Cylinder into Ball Drip Outlet
- •Adjust and Lock into place
- •Snug up Compression Nuts and you're ready to flow!







FLANGED GROOVED

WAFER

It's that easy! You're done in 20-30 minutes.

No more jacks, hydraulic spreaders, sawzalls, sledge hammers, wedges, pinched gaskets and special trips to the hardware store. You're in and you're out.



Hydra-Tap
FDC Check Valve Clapper Tool
(ltem Number: 3099140)

# HYDRASCOPE ARTICULATING INSPECTION CAMERA

- Waterproof 5mm camera cable
- Access outlets as small as 1/4"
- Up to 9 hours of video or 20,000 images.

Troubleshooting & minimize both the impact and downtime of the sprinkler system.

NFPA approved for 5 year inspection internal inspection.

BUY \$10,000 OF FDC'S, FIRE HOSE VALVES, GROOVED CHECK VALVES & GAUGES (MIX & MATCH)

**GET A FREE HYDRA-TAP** 













## THE RIPTIDE FLOW TESTING SYSTEM $^{\mathsf{IM}}$



The Riptide is a stackable, totally modular and universally compatible flow testing system.

- •5 unique diffusers with one, to as many as four 2.5" fire hose connections PER DIFFUSER.
- •Cam-locks come standard, so there are no additional costs to stack.
- •Built from 3/16" formed & welded powder coated steel



Sturdy, self-serviceable, built-in pitot, stackable with an integrated stacking system that comes standard with each version, portable, universally compatible with each other and totally modular for field configuration on the fly.



Glycerine Filled Calibrated Gauges Includes Certificate from Manufacturer

item #6510951
















**Riptide Water Cannon Flow Tube Assembly** Flow water to open atmosphere 2-1/2" quick connect

#### **ALSO AVAILABLE:**

6510930: Glycerine Gauges

6510936: Reduced Orifice Insert 1.125" 6510937: Reduced Orifice Insert 1.75"

6510938: Reduced Orifice Insert 3.25" LDH

6510923: Typhoon Remote Manifold

6510940: Levelling Table

6510941: Spanner Wrench for pitot tuing



## **PIPE STANDS & VISES**

**Tri-Pod Chain Vise** with folding lower tray.

6" pipe capacity, rear support and receding ceiling brace screw.

Cross Reference 72037

Base has integral pipe rest with slots for hanging tools, pipe bending slots and hardened replaceable jaws.

Parts interchangeable with competitive style units.

TRI-POD CHAIN VISE 1/8" TO 6" Capacity

> ARGC0 Item #3305100



FRI-POD CHAIN VISE REPAIR KIT Item #3305100KIT FOLDING V-HEAD STAND

2000# Capacity

ARGC0 Item #3305250





#### **Heavy Duty Adjustable Pipe Supports**

for Back Flows, Pipe, Manifolds and FDCs.

- •Constructed of schedule 40 pipe with 1" all thread rod & adjustment nut
- •Base: 5.5" diameter malleable iron floor flange base for mounting

Available Height Ranges:

- •18" to 24"
- •24" to 30"
- •30" to 36"
- •36" to 42"

Available Sizes: 1" thru 12" IPS













# **Pipe Fittings, Valves & Pipe Hangers Supply**

Grooved Couplings, Fittings, Mechanical Tees and Flange Adapters
Butterfly, Check and OS&Y Valves, Threaded Fittings, Flexible Sprinkler Drops
Pipe Hangers & Structural Attachments, Pipe Thread Sealants and more.



# **UNIVERSAL FIRE SPRINKLER WRENCH**







UNIVERSAL FIRE SPRINKLER WRENCH

> ARGC0 Item #3099189



#### **DUAL VAC - FIRE SPRINKLER VACUUM**



The Dual-Vac is a new way to approach the old problem of removing water left in a piping system after draining, repairs and modifications become easier.

- •Combines the benefits of a wet/dry vacuum and a submersible pump.
- •Submersible pump and a series of floats will keep the canister empty.
- •Designed to run unattended for 4-6 Hours
- •110 Volt A.C. 12 Amps
- •Pumps 10 gallons at a time.
- •5 foot lift with vacuum,15 foot lift with pump.

#### **Applications**

- •Change all types of sprinkler heads
- •Relocating drops for tenant improvements
- •Making repairs on a damaged or leaking system
- •Removing water from pre-action or dry systems
- •Used as a pump for Anti-Freeze Solutions

**DUAL VAC** Fire Sprinkler Vacuum

> ARGCO Item #3099185


## **HYDROSTATIC TEST PUMP**

- •3.0 GPM
- •Up to 300 P.S.I. with Pressure Regulator
- •1/2 H.P. ball bearing motor (115 or 230 volt) with a 115% service load factor with capacitor starting
- •Built-in, full-flow, bypass system
- •Pump is 20% more efficient
- Electrical switch for operator safety
- •Suction-side strainer to minimize the potential of plugging
- Lightweight (35lbs) and compact unit
- •Liquid-filled, stainless steel gauge
- Swivel inlet connection

10 ft of guick-disconnect hose has an exclusive built-in.

**HYDRO TEST PUMP** HT-90E ELECTRIC 1/2HP;300PSI 3GPM

ARGCO Item #3099155



#### **MISC. TOOLS**

#### ON CENTER PUNCH

Magnetic center punch and level combination accurately locates position of holes to be drilled into.

ITEM # 3099106



#### BEAM CLAMP RATCHET WRENCH

Fits 3/8" & 5/16" square head set screws -- used with beam clamps, c-clamps and purlin clamps.

ITEM # 3035106

#### THREADED ROD CHASER

Quickly chase damaged threads after cutting threaded rod with a saw or bolt cutter. 3/8" & 1/2" sizes available

ITEM # 3099113

800.854.1015 ARGCO.com



#### **DROP NIPPLE RATCHET TOOL**

# ARGCO 31 mm 1-1/4 inch

# **AVAILABLE JUNE 2024**

#### Fire Sprinkler Fitters Best Friend.

Exclusive new tool designed to help installers in resizing fire sprinkler drops in Hard Lid Ceilings.

Replace old recessed or pendent type sprinklers with new concealed type fire sprinklers.

- •Save time and money
- •Fits cast, ductile & malleable reducing couplings
- Avoid ceiling patch or repairs
- Safer than traditional methods
- •Extended height makes it easy to reach well above ceiling
- •Ratchet allows for work in tight corners



After the old sprinkler head has been removed, thread the wrench to the reducing coupling and remove drop.

Cut the sprinkler drop back to desire height, or replace nipple at desired length.

Screw reducer onto the drop tool.

Using the drop tool, reach above ceiling to the drop nipple and thread and tighten with ratchet.

Remove tool and install the new concealor sprinkler.

#### Kit Includes:

Ratchet Wrench with handle 1/2" threaded female drive shaft 1-1/4", 1-3/8", 1-1/2", 1-5/8" Hex Sockets 1/2" & 3/4" Drive Shafts


Sturdy Carrying Case



DROP NIPPLE RATCHET TOOL

ARGC0 Item #3099230











American Fire Sprinkler Association

Engineering A Fire Safe World ®

**ARGCO SALES:** toll free: 800-854-1015 | international: 760-727-1644 | fax: 800-924-5922 | email: sales@argco.com