

# GROOVED END OF RUN REDUCING ELBOW (ADACAP) MODEL 7091



Ductile iron 90° grooved-end elbow with base support, designed for installation at the bottom of a riser system. An anchor can be placed in conjunction with the base to support the weight of the pipe, coupling and fluid.

### Pipe Material

- Carbon steel, Schedule 10, Schedule 40.

### Maximum Working Pressure


- Up to 300 psi/20 bar

### Function

- Joins carbon steel pipe grooved pipe to threaded.

### CERTIFICATIONS/LISTINGS

Underwriters Laboratories,  
Underwriters Laboratories Canada, Factory Mutual.



### SPECIFICATIONS - MATERIAL

#### Housing Sections:

Ductile Iron conforming to  
ASTM A 536, Grade 65-45-12.

#### Housing Coating:

Standard: Hot Dipped Galvanized  
Available: Orange Enamel

Item #	Nominal Size in/mm	NPT BSP	Max Working Pressure psi/Bar	C-E inches mm
7012260	1-1/4" x 1/2"	1/2"	300	2.40
	32 x 15	15	20	61
7012261	1-1/4" x 3/4"	3/4"	300	2.40
	32 x 20	20	20	61
7012262	1-1/4" x 1"	1"	300	2.40
	32 x 25	25	20	61
7012263	1-1/2" x 1/2"	1/2"	300	2.52
	40 x 15	15	20	64
7012264	1-1/2" x 3/4"	3/4"	300	2.52
	40 x 20	20	20	64
7012265	1-1/2" x 1"	1"	300	2.52
	40 x 25	25	20	64
7012266	2" x 1/2"	1/2"	300	2.52
	50 x 15	15	20	64
7012267	2" x 3/4"	3/4"	300	2.76
	50 x 20	20	20	70
7012268	2" x 1"	1"	300	2.76
	50 x 25	25	20	70

System No.		Location		Spec Section		Paragraph	
Submitted By		Date		Approved		Date	